



[Home](#)

[Back to Chefhat page](#)



Bonding line AA

Bonding line Aa




size
6 1/2
20.4in.

Chefhat
side
one sheets

Bonding line Ab

Seam allowance 1/2in.

Bonding line BA



Bonding line Ac

Bonding line Ad

DRCOS

SITE [http://dr-cos.info\(en\)](http://dr-cos.info(en)), [http://dr-cos.com\(jp\)](http://dr-cos.com(jp))
MAIL info@dr-cos.com
Twitter [@drcos_com](https://twitter.com/@drcos_com)
facebook <https://www.facebook.com/drcoscom>

Bonding line DA

Bonding line Ad

S
.com(jp)
coscom


DRCOS

SITE [http://dr-cos.info\(en\)](http://dr-cos.info(en)) [http://dr-cos.com\(jp\)](http://dr-cos.com(jp))
MAIL info@dr-cos.com
Twitter https://twitter.com/drcos_com
facebook <https://www.facebook.com/drcoscom>

size
6 1/2
20.4in.

crease


Chefhat
Top crown
one sheets



Seam allowance 1/2in.

Bonding line EA

Bonding line EA



Grain Line

crease

crease

crease



size

6 1/2

20.4in.

Bonding line EB

Chefnat
brim
one sheets

Seam allowance 1/2in.

Bonding line Bd



How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

- 1.Sew the "brim" and shape them with an iron
- 2.fold all folding positions of the "side"
- 3.Sew the "side" and crush the seam allowance by iron
- 4.Fold it inward according to the "top" folding line of the "side" and shape it with an iron
- 5.Fold the "top" fold line with an iron and sew it to the "side"
- 6.Sew the "side" while sandwiching in the "brim"

e 1/2in.

Bonding line Cd

Bonding line EC