


[Home](#)

[Back to Tophat page](#)




**Tophat  
Side  
one sheets**

Bonding line Aa


Bonding line AA

Bonding line AA




Bonding line Ba

Bonding line AB



Bonding line AB

match marks




Seam allowance 1/2in.

**Tophat  
Brim**  
two sheets

Bais

Bonding line Ca

Grain Line




match marks



Bonding line AC

Bonding line Aa

match marks



match marks

Bonding line BA

How  
Sorry  
in Er  
Ab  
1. iro  
2. "si  
3. "to  
4. "br  
The  
5. two  
6. In  
7. "s

Bonding line BA



**Tophat  
Side**  
interfacing(heavy weight)  
**one sheets**

Bonding line Ba

Bonding line Bb

Bonding line BB

Bonding line BB



**Tophat**  
**Brim**  
interfacing (heavy weight)  
**two sheets**

Bonding line Cb

Bonding line BC



Bonding line Ca

# DRCOS

SITE <http://dr-cos.com>

MAIL [info@dr-cos.com](mailto:info@dr-cos.com)

Twitter [@drcos\\_com](https://twitter.com/@drcos_com)

facebook <https://www.facebook.com/drcoscom>

## How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

1. iron on the interfacing (heavy weight) to "top" "side" "brim"
2. "side" is sew up and loop
3. "top" and "side" sew pieces
4. "brim" is sew up and loop
5. The surface and the back are same.
6. two "brims" are sewn up by a dotted line.
7. In a "brim", bias (A wire is put in.)
7. "side" "brim" is sewn up.

Seam allowance 1/2in.

# DRCOS

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [https://twitter.com/@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>



Bonding line CB

Bonding line Cb



Bonding line Cc

Bonding line CC



**Tophat  
Top**  
interfacing(heavy weight)  
**two sheets**

Bonding line DA

Bonding line Bc

Seam allowance 1/2in.


match marks



match marks



Tophat  
Top  
one sheets



Bonding line Bd

Bonding line DB