


[Home](#)  
[Back to westernhat page](#)


**DRCOS**

SITE <http://www.dr-cos.info/>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>



**Westernhat  
Top  
two sheets**

Seam allowance 1/2in.



**DRCOS**

SITE <http://www.dr-cos.info/>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>

grommet



Bonding line Aa

(eight)

size

**6 1/2  
20.4in.**

Bonding line AA

Bonding line AA

20.4in.



size  
6 1/2  
20.4in.



**Westernhat**  
side  
interfacing (heavy weight)  
one sheets

**DRCOS**  
SITE <http://www.drcos.info/>  
MAIL [info@drcos.com](mailto:info@drcos.com)  
Twitter <https://twitter.com/drcos.com>  
facebook <https://www.facebook.com/drcos.com/>


Bonding line AB

interfa

Bonding line Ba

size  
6 1/2  
20.4in.

Grain Line



**Western**  
side  
two she

**DRCOS**

SITE <http://www.dr-cos.info/>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>

Westernhat  
top  
interfacing(heavy weight  
one sheets

Bonding line Aa



Westernhat  
brim  
four sheets



bias & wire

Bonding line Ab

Grain Line

Seam allowance 1/2in.

**DRCOS**

SITE <http://www.dr-cos.info/>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>

Bonding line BA

# Westernhat brim

interfacing (heavy weight)  
two sheets

Bonding line Ba

## How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

1. iron on the interfacing (heavy weight) to "top" "side" "brim"
  2. "side" is sew up and loop
  3. "top" and "side" sew pieces
  4. "brim" is sew up and loop
- The surface and the back are same.
5. two "brims" are sewn up by a dotted line.
  6. In a "brim", bias (A wire is put in.)
  7. "side" "brim" is sewn up.
  8. grommet is installed in the grommet location.
  9. to pass a string through a hole.

size  
1/2  
4in.

Westernhat  
side  
sheets

**DRCOS**

SITE <http://www.dr-cos.info/>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>

Seam allowance 1/2in.

Bonding line Bb